

| | | |
|-------------------------------|------------------------------|---------------------|
| Notice of Allowability | Application No. | Applicant(s) |
| | 10/771,807 | KINZER, DWIGHT ERIC |
| | Examiner Thomas J. Brahan | Art Unit 3654 |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. This communication is responsive to the amendment filed Feb 9, 2006.
2. The allowed claim(s) is/are 1-5 and 7-20.
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All
 - b) Some*
 - c) None
 of the:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) hereto or 2) to Paper No./Mail Date _____.
 - (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. Notice of References Cited (PTO-892)
2. Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. Notice of Informal Patent Application (PTO-152)
6. Interview Summary (PTO-413),
Paper No./Mail Date _____
7. Examiner's Amendment/Comment
8. Examiner's Statement of Reasons for Allowance
9. Other _____.

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee. Authorization for this examiner's amendment was given in a telephone interview with Lori Cuomo on February 21, 2006.

1. In claim 1, line 1, the term "original" has been deleted and the phrase -- currently amended -- has been substituted therefor.
2. In claim 1, line 2, the limitation "in a horizontal array" has been deleted.
3. In claim 1, line 2, before the term "substantially", the term -- stationary -- has been inserted.
4. In claim 1, line 3, the term "said receptacles" has been deleted, and the phrase -- an array of stationary receptacles that encircle said circular guide means -- has been substituted therefor.
5. In claim 7, line 3, after the term "one", the term -- stationary -- has been inserted.
6. In claim 7, line 4, the term "said receptacles" has been deleted, and the phrase -- an array of stationary receptacles that encircle said circular guide system -- has been substituted therefor.
7. In claim 11, line 2, before the term "substantially", the term -- stationary -- has been inserted.
8. In claim 11, lines 3 and 4, the term "said plurality of storage receptacles" has been deleted, and the phrase -- an array of stationary storage receptacles that encircle said circular guide means -- has been substituted therefor.
9. In claim 15, line 2, after the phrase "providing a", the term -- stationary -- has been inserted.
10. In claim 15, line 3, the term "said plurality of storage receptacles" has been deleted, and the phrase -- a plurality of stationary storage receptacles in a fixed array that encircles said circular guide system -- has been substituted therefor.

An inquiry concerning this communication or earlier communications from the examiner should be directed to Thomas J. Brahan whose telephone number is (571) 272-6921. The examiner's supervisor, Ms. Katherine Matecki, can be reached at (571) 272-6951. The new fax number for all patent applications is (571) 273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Art Unit: 3654

Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Questions regarding access to the Private PAIR system, should be directed to the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



2/21/06

Thomas J. Braham
Primary Examiner
Art Unit 36544